according to Regulation No 1907/2006 of the European Parliament and of the Council Date of compilation: 26. 11. 2019 Product code: AM7522

Revision: - - -

Г

Replaced version: - - -

Page: 1 z 11 Trade Name: **ROSIE RED**

	ne mixture and the company/undertaking		
1.1 Product identifier:			
Trade Name:	ROSIE RED		
Mixture description: Solvent coating (aerosol).			
	f the mixture or mixture and uses advised against:		
	Paint, surface treatment. Recommended for identified uses.		
 1.3 Details of the supplier of the GOX7-EUROPE s.r.o. Chlumčanská 396 439 02 Cítoliby Czech republic Tel.:+420 777 691 661 competent person responsible 1.4 Emergency telephone num 	e for MSDS: info@gox7.cz		
112 (General emergency phot SECTION 2: Hazards identifica	,		
The mixture is classified as da			
2.1 Classification of the mixtu			
according to 1272/2008/EC	Aerosol 1; H222, H229 Eye Irrit. 2; H319 STOT SE 3; H336 Skin Irrit. 2; H315		
Full text of H-phrases: see se	ection 16.		
environmental effects:	e physicochemical, human health and		
	ol. Pressurised container: May burst if heated. Causes cause drowsiness or dizziness. Causes skin irritation. se skin dryness or cracking.		
2.2 Label elements:			
hazard pictograms			
signal word	Danger.		
ingredients of the mixture to be labeled	Contains acetone, 2-butoxyethanol, butyl-acetate, ethyl-acetate.		

according to Regulation No 1907/2006 of the European Parliament and of the Council Date of compilation: 26. 11. 2019 Product code: AM7522 Revision: - - -Replaced version: - - -

Page: 2 z 11

Trade Name: ROSIE RED

hazard statements	 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H315 Causes skin irritation.
precautionary statements	 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P403 Store in a well-ventilated place. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P280 Wear protective gloves/protective clothing/eye protection. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 Dispose of contents/container at the site of hazardous waste collection in the village.
supplemental hazard information	EUH066 Repeated exposure may cause skin dryness or cracking. VOC: 92%

2.3 Other hazards:

The mixture meets not the criteria for PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

3.2.1 Substances presenting a health or environmental hazard in the mixture

Chemical identity	CAS	EC-No. Registration No.	Content **) (wt. %)	Classification 1272/2008/EC
acetone	67-64-1	200-662-2 01- 2119471330-49	approx 32	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066
petroleum gases, liquefied (LPG) *)	68476-85-7	270-704-2 01- 2119485911-31	approx 25	Flam. Gas 1; H220 Press. Gas (Liq.); H280
ethyl-acetate	141-78-6	205-500-4 01- 2119475103-46	approx 10	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066

according to Regulation No 1907/2006 of the European Parliament and of the Council Date of compilation: 26. 11. 2019 Product code: AM7522 Revision: - - - Replaced version: - - -

Page: 3 z 11

Trade Name: ROSIE RED

<i>n</i> -butyl-acetate	123-86-4	204-658-1 01- 2119485493-29	8 - 10	Flam. Liq. 3; H226 STOT SE 3; H336 EUH066
2-butoxyethanol; ethylene glycol monobutyl ether	111-76-2	203-905-0 01- 2119475108-36	6.2	Acute Tox. 4; H302+H312+H332 Eye Irrit. 2; H319 Skin Irrit. 2; H315
2-methoxy-1- methylethyl acetate	108-65-6	203-603-9 01- 2119475791-29	5 - 6	Flam. Liq. 3; H226
2-butanone; ethyl methyl ketone	78-93-3	201-159-0 01- 2119457290-43	2 - 3	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066
<i>n</i> -butanol	71-36-3	200-751-6 01- 2119484630-38	1.99	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 STOT SE 3; H336
diacetone alcohol	123-42-2	204-626-7 01- 2119473975-21	< 1	Flam. Liq. 3; H226 Eye Irrit. 2; H319 STOT SE 3; H335
ethanol	64-17-5	200-578-6 01- 2119457610-43	< 1	Flam. Liq. 2; H225 Eye Irrit. 2, H319 (C ≥ 50 %)
nitrocellulose (N<12,6 %)	9004-70-0	not available not available	< 1	Expl. 1.1; H201
propan-2-ol; iso-propanol	67-63-0	200-661-7 01-2119457558	< 1	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336
xylene	1330-20-7	215-535-7 01- 2119488216-32	< 1	Flam. Liq. 3; H226 Acute Tox. 4; H312+H332 Eye Irrit. 2; H319 Skin Irrit. 2; H315 STOT SE 3; H335 STOT RE 2; H373 Asp. Tox. 1; H304 Aquatic Chronic 3; H412
Contains less than procedure.	0.1% of 1,3	-butadiene (*));	**) see se	ection 16 classification

according to Regulation No 1907/2006 of the European Parliament and of the Council Date of compilation: 26. 11. 2019 Product code: AM7522

Revision: - - -Page: 4 z 11 Replaced version: - - -

•

Trade Name: ROSIE RED

	CAS	EC-No. Registration No.	Content (wt. %)	Classification 1272/2008/EC
acrylic resin	113041-34- 2	not available	< 6	not classified
SECTION 4: First ai	id measures			
• •	s persist, see conscious per	k medical atter rson.		ases of doubt, or give anything by
immediate medica position and ensur <i>Skin contact:</i> Remove contamina	al attention. Pla e breathing ca ated clothing i	ace unconscious in take place.	person on th	respiration and see e side in the recover th soap and water. D
	with water. R			sent after the first east 15 minutes). Ge
	g. Get medical	l attention immed	iately. Provide	h with clean water. D e fresh air, warmth an
possible nausea. Repeated or prolor from the skin resul to solvent vapour o occupational expo	ay result in I May cause nged contact v Iting in dryness concentrations sure limits ma spiratory syste	ight headedness severe eye irri vith the preparations, irritation and po from the compor ay result in adve	s, staggering tation. May on may cause ossible contac nent solvents i rse health eff	ayed: gait, dizziness, an cause skin irritatior removal of natural fa t dermatitis. Exposur in excess of the state fects such as mucou s on the kidneys, live
	-			

according to Regulation No 1907/2006 of the European Parliament and of the Council Date of compilation: 26. 11. 2019 Product code: AM7522

Revision: - - -

Replaced version: - - -

Page: 5 z 11

Trade Name: ROSIE RED

5.1 Extinguishing media:

Suitable extinguishing media:

Use water fog, dry chemical, carbon dioxide or foam.

Extinguishing media which shall not be used for safety reasons:

Solid streams of water may be ineffective. Burning product will float on the surface and spread fire.

5.2 Special hazards arising from the substance:

Exposure of containers to extreme heat and flames can cause them to rupture often with violent force. Vapours are heavier than air and may travel along surfaces to remote ignition sources and flash back. Combustion will produce oxides of carbon and hydrocarbons.

5.3 Advice for fire-fighters:

In the event of fire, wear self-contained breathing apparatus and clothing protective against chemicals. Keep extinguishing aerosols away from the danger area, if possible without risk.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Use non-sparking tools, avoid electrostatic charge. Other protective measures - see section 7.

6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Do not allow to enter waters or soil. Report spills to authorities as required.

6.3 Methods and material for containment and cleaning up:

Aerosol, mainly local air pollution will occur. If, however, a liquid fraction is leaking, absorb spillage using an absorbent, such as earth, sand or vermiculite. Place in container for disposal according to local regulations (see section 13). Pump off larger quantities. Use non-sparking tools.

Afterwards ventilate area and wash spill site.

6.4 Reference to other sections:

Protective equipment: see section 8. Dispose according to the section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Provision of very good ventilation in the working area. Vapour/air mixtures are heavier than air. Adequate ventilation at the floor area must be ensured as well. Eye bath required. These locations must be signposted clearly. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge. Keep containers tightly sealed. Prevent formation of aerosols. Do not use any tools that cause sparks.

When using, do not eat, drink or smoke. Wash hands with warm water and soap before breaks and after work.

according to Regulation No 1907/2006	6 of the European Parliament and of the Council
Date of compilation: 26. 11. 2019 Produ	ict code: AM7522
Revision:	Replaced version:

Page: 6 z 11

Trade Name: ROSIE RED

7.2 Conditions for safe storage, including any incompatibilities:

Store in original tightly closed packing in dry and well-ventilated areas. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: 5 - 30 °C. Keep away from direct sunlight.

7.3 Specific end use(s): In household and industry.

SECTION 8: Ex	posure controls/	personal	protection

8.1 Control parameters

8.1.1 Exposure limit value in UK:

LPG:	acetone:	
8 h: 1800 mg/m ³ short: 4000 mg/m ³	8 h: 1210 mg/m ³ sho	rt: 3620 mg/m ³
<u>n-butyl-acetate:</u>	ethyl-acetate:	
8 h: 724 mg/m ³ , short: 966 mg/m ³	8 h: 730 mg/m³	short: 1460 mg/m ³
2-butoxyethanol:	diacetone alcohol:	
8 h: 123 mg/m ³ , short: 246 mg/m ³	8 h: 241 mg/m³,	short: 362 mg/m ³
<u>2-butanon:</u>	<u><i>n</i>-butanol:</u>	
8 h: 600 mg/m ³ short: 899 mg/m ³	short: 154 mg/m ³	
ethanol:	2-methoxy-1-methylethy	<u>l acetate:</u>
8 h: 1920 mg/m³	8 h: 274 mg/m³,	short: 548 mg/m ³
<u>xylene:</u>	<u>iso-propanol:</u>	
8 h: 220 mg/m ³ , short: 441 mg/m ³	8 h: 999 mg/m³,	short: 1250 mg/m ³

8.1.2 DNEL:

DNEL, PNEC are not available.

8.2 Exposure controls

8.2.1 Exposure reduction (technical measures):

Where exposure cannot be prevented by other means the use of individual protection measures, such as personal protection equipment is necessary. Ensure adequate ventilation of the workplace. Regularly measure the concentration of this agent in the workplace atmosphere.

8.2.2 Individual protection measures, such as personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier. Workers in the risky process/areas identified should be trained.

appropriate use.	assessment shows air-purifying respirators are	Respiratory protection: (recommended filter type A) and where risk	Required when vapours/aerosols are generated	Respiratory protection: (rec	ommended filter type A) and where risk essment shows air-purifying respirators are
------------------	--	--	--	------------------------------	---

according to Regulation No 1907/2006 of the European Parliament and of the Council Date of compilation: 26. 11. 2019 Product code: AM7522 Revision: - - Replaced version: - - -

Page: 7 z 11

Trade Name: ROSIE RED

Hand protection:	r	Handle with gloves, e.g. nitril-rubber, strength > 0.55 mm, penetration time > 480 min.; leather is not suitable.
Eye/face protection: chem		chemical safety goggles
Skin protection: suita		suitable protective clothing
8.2.3 Environmenta	l exposure re	duction:
	-	e/formulation into environment is to be avoided.
SECTION 9: Physic	al and chemic	al properties
=		nd chemical properties:
Appearance (at 2		aerosol
Colour:		silver
Odour:		characteristic
Odour threshold.	•	not available
рН (at 20 °C):		not available
Melting point/free	ezing point:	not available
Boiling point (range):		not available
Flash point:		< -18 °C (propellant gas)
Evaporation rate:		not available
Flammability:		flammable mixture
Explosive limits	lower: (% vol	.) 1,8 (propellant gas)
	upper: (% vol	/.) 12,8 (propellant gas)
Vapour pressure	: (20 °C)	not available
Vapour density:		not available
Relative density:		not available
Solubility in wate	er (20 °C):	not available
Partition coefficie	ent:	not available
n-octanol/water:		
Auto-ignition ten	•••	not available
Decomposition to	sinperature:	not available not available
Viscosity:	tine	non-explosive
Explosive properties: Oxidising properties:		•
9.2 Other information		none
not known		

10.2 Chemical stability:

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions:

Not known.

according to Regulation No 1907/2006 of the European Parliament and of the Council
Date of compilation: 26. 11. 2019 Product code: AM7522

Revision: - - -

Replaced version: - - -

Page: 8 z 11 Trade Name: **ROSIE RED**

10.4 Conditions to avoid:

Heat, flames and sparks. Protect from higher temperatures (over 50 $^{\circ}$ C) and direct sunlight, risk of aerosol packaging explosion. Do not use in the presence of a source of ignition.

- **10.5 Incompatible materials:** Strong oxidizing agents.
- 10.6 Hazardous decomposition products:

Carbon oxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects:

Acute toxicity:

/loute texicity.	
- LD ₅₀ oral, rat (mg.kg ⁻¹):	ATE mixture > 2000 (for ingredients with LD50 > 2000 but classified with H302, ATE is used according to tab. 3.1.2 CLP)
- LD ₅₀ skin, rat or rabbit (mg.kg ⁻¹):	ATE mixture > 2000 (for ingredients with LD50 > 2000 but classified with H312, ATE is used according to tab. 3.1.2 CLP)
- LC₅₀ inhalation, rat, gas or vapour (mg.l):	ATE _{mixture} > 20 (for ingredients with LD50 > 20 but classified with H332, ATE is used according to tab. 3.1.2 CLP)
Skin corrosion/irritation:	irritant, cat. 2
Serious eye damage/irritation:	irritant, cat. 2
Respiratory or skin sensitisation:	no
Germ cell mutagenicity:	no
Carcinogenicity:	no
Reproductive toxicity:	no
STOT-single exposure:	may cause drowsiness or dizziness
STOT-repeated exposure:	may cause skin dryness and cracking
Aspiration hazard:	no
Additional information: not known	
SECTION 12: Ecological information 12.1 Toxicity:	
- LC₅₀ 96 H, fish (mg.l¹):	no data available
- EC₅₀ 24 H, daphnia (mg.l¹):	no data available
- IC₅₀ 72 H, algae (mg.l⁻¹):	no data available
12.2 Persistence and degradability:	no data available
12.3 Bioaccumulative potential:	no data available
12.4 Mobility in soil:	no data available

according to Regulation No 1907/2006 of the European Parliament and of the Council Date of compilation: 26. 11. 2019 Product code: AM7522

Revision: - - -

Replaced version: - - -

Page: 9 z 11 Trade Name: **ROSIE RED**

12.5 Results of PBT and vPvB	product is neither a PBT nor a vPvB
assessment:	substance
12.6 Other adverse effects:	

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Disposal methods of the substance and the contaminated packaging:

Fully use the aerosol. Do not take the unused product into the collection or other disposal. Do not throw into the fire! Dispose of the packaging after full emptying. Never remove it by draining into drains! The waste producer is responsible for sorting waste and disposing of. Potential EU waste-code 08 01 11 for container, 15 01 10 for mixture.

Physical/chemical properties that may affect waste treatment options: Extremely flammable.

Union provisions relating to waste:

- directive 2008/98/EC

14.1 UN number:	1950
14.2 UN proper shipping name:	
- ADR/RID/IMDG/IATA	AEROSOLS, flammable
14.3 Transport hazard class(es):	2
14.4 Packing group:	-
14.5 Environmental hazards:	no
14.6 Special precautions for user:	none
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:	not available
ADR/RID:	·
- classification code	5F
- labels	2.1
- hazard identification code	-
- tunnel restriction code	D
IMDG:	
- EmS	F-D, S-U

Regulation No. 1907/2006/ES, REACH.

Regulation No. 1272/2008/ES, CLP.

15.2 Chemical safety assessment:

according to Regulation No 1907/2006 of the European Parliament and of the Council Date of compilation: 26. 11. 2019 Product code: AM7522 Revision: - - -Replaced version: - - -

Page: 10 z 11

Trade Name: ROSIE RED

No data available.

SECTION 16: Other information

Reason for alteration:	
First edition.	

FIIST EUTION.	
<i>Key or legend to</i> Flam Gas 1	<i>abbreviations and acronyms used in the safety data sheet:</i> flammable gas, cat. 1
Press. Gas (liq.)	gas under pressure (liquefied)
Flam. Liq. 3	flammable liquid, cat. 3
Flam. Liq. 2	flammable liquid, cat. 2
Asp. Tox. 1	Aspiration toxicity, cat. 1
STOT RE 2	specific target organ toxicity after repeated exposure, cat. 2
Aquatic Chronic 3	long-term aquatic hazard, cat. 3
Aerosol 1	highly flammable aerosol
STOT SE 3	specific target organ toxicity after single exposure, cat. 3
Skin Irrit. 2	irritating for skin, kat. 2
Eye Irrit. 2	irritating for eyes, kat. 2
Acute Tox. 4	acute toxicity, cat. 4
Eye Dam. 1	eye damage, cat. 1
Expl. 1.1	explosive, div. 1.1
NOEC	No Observed Effect Concentration
PBT	Persistent, bioaccumulative, toxic chemical
vPvB	Very Persistent and Very Bioaccumulative chemical
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
CLP	regulation No. 1272/2008/EC
REACH	regulation No. 1907/2006/EC
bw	body weight
	body weight

Sources of key data used to compile the Safety Data Sheet:

Chemical databases and tables, tests.

List of H-phrases:

	•
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H226	Flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H220	Extremely flammable gas.
H304	May be fatal if swallowed and enters airways
H373	May cause damage to organs through prolonged or repeated
exposure	
H336	May cause drowsiness or dizziness.

according to Regulation No 1907/2006 of the European Parliament and of the Council Date of compilation: 26. 11. 2019 Product code: AM7522 Revision: - - Replaced version: - - -

Page: 11 z 11

Trade Name: ROSIE RED

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H302	Harmful if swallowed.
H302+H312+H332	2 Harmful if swallowed, in contact with skin or if inhaled
H312+H332	Harmful if inhaled.
H318	Causes serious eye damage.
H201	Explosive; mass explosion hazard
H412	Harmful to aquatic life with long lasting effects.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and
other ignition	sources. No smoking.
P403	Store in a well-ventilated place.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P280	Wear protective gloves/protective clothing/eye protection.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding
50 °C.	
P501	Dispose of contents/container at the site of hazardous waste
collection in the	village.

Training advice:

According to MSDS.

Relevant information for classification:

According to additional method of CLP. For classification, concentrations stated in Section 3 were recalculated according to clause 1.1.3.7 of Annex I to CLP.